


## RGB/RGBW Flood Light



### Description

- The RGB, RGBW flood light wall washers are unique housing designed and Utility model patented.
- Great for landscape light, architectural lighting, and so on.
- The lenses are anti-glare optics and 15°, 25°, 40°, 60°, 90° beam angle optional.

### Features

1. ETL, cETL certificated.
2. Patented fixture design and excellent heat dissipation design.
3. Universal AC100~277V operation.
4. Wide radiation angle, huge lighting area.
5. DMX control, Wireless control and App control optional.
6. Outdoor using waterproof IP67.



### RGB/RGBW Controller List

Model No.	Product Picture	Description
D21LT-800		DMX RGB Controller
D21LT-EX8S		DMX RGBW Control Panel
D21LT1024		DMX RGB RGBW Controller
D21F4		Wireless Remote Controller
D21Wifi10-106		WIFI Controller


### Accessories List

Model Number	Specification
D21LT-SCC	DMX Signal Cable Connectors
D21LT-EC2	DMX Signal Extension Cable 2ft
D21LT-EC4	DMX Signal Extension Cable 4ft
D21LT-EC6	DMX Signal Extension Cable 6ft
D21LT-EC8	DMX Signal Extension Cable 8ft


## Specification

Model No.	Power (W)	LED Chip	Control Method	Voltage	Size (mm)	Beam angle	Housing color	Certification	
D21LT-50W	50W	RGB&RGBW	DMX	100-277V	285×106×85	15° 25° 40° 60° 90°	White/Black	ETL,cETL	
D21LT-100W	100W				570×106×85		White		
D21LT-150W	150W				855×106×85				
Bracket -1	2 Rows Installation Bracket								
Bracket -2	3 Rows Installation Bracket								
D21LT-180W	180W	RGB&RGBW	DMX/APP/ Wireless	100-277V	855×106×85	15° 25° 40° 60° 90°	White		ETL, cETL
D21LT-200W	200W				1135×106×85				
D21LT-250W	250W				1416×106×85				
D21LT-300W	300W				1416×106×85				
D21LT-400W	400W				2(1135×106×85)				
D21LT-500W	500W				2(1416×106×85)				
D21LT-600W	600W				3(855×106×85)				
D21LT-700W	700W				3(1135×106×85)				
D21LT-800W	800W				3(1416×106×85)				
D21LT-1000W	1000W				3(1416×106×85)				

## DMX Control Connection



## Wireless Control Connection



Wireless Touch Panel



Remote



WiFi Controller

## Applications

The RGB RGBW wall washer flood light is mainly used for individual buildings, external wall lighting of historical buildings, interior partial lighting, green landscape lighting, billboard lighting, special facilities such as medical and cultural lighting, and atmosphere lighting of entertainment places such as bars and dance halls.

